



VENOUS SAMPLE

System Name Theatres
System ID 2376-25327
Patient ID 1483564N
Lst Name Smith
Operator JONESR

ACID/BASE 37.0 °C
pH 7.31
 $p\text{CO}_2$ 4.4 mmHg
 $p\text{O}_2$ 8.6 mmHg
 HCO_3^- - act 16mmol / L
 HCO_3^- - std 16.0 mmol / L
BE (B) -8.0 mmol / L
BE (ecf) -8.0 mmol / L

CO-OXIMETRY
Hct 48.0 %
tHb 12.4 g / dL
 sO_2 99.0 %
 FO_2Hb 1.0 %
 FCOHb 1.0 %
 FMetHb 1.0 %
 FHHb 1.0 %

OXYGEN STATUS 37.0 °C
ctO₂(a) mL/dL

ELECTROLYTES
 Na^+ 142.0 mmol / L
 K^+ 4.8 mmol / L
 Ca^{++} 1.4 mmol / L
 Cl^- 108.0 mmol / L

METABOLITES
Glu 3.8 mmol / L
Lac 2.6 mmol / L

$p\text{Atm}$ 754 mmHg



VENOUS SAMPLE

System Name Theatres
System ID 2376-25327
Patient ID 1483564N
Lst Name Smith
Operator JONESR

ACID/BASE 37.0 °C
pH 7.31
 $p\text{CO}_2$ 0.5 kPa
 $p\text{O}_2$ 1.1 kPa
 HCO_3^- - act 16mmol / L
 HCO_3^- - std 16.0 mmol / L
BE (B) -8.0 mmol / L
BE (ecf) -8.0 mmol / L

CO-OXIMETRY
Hct 48.0 %
tHb 12.4 g / dL
 sO_2 99.0 %
 FO_2Hb 1.0 %
 FCOHb 1.0 %
 FMetHb 1.0 %
 FHHb 1.0 %

OXYGEN STATUS 37.0 °C
ctO₂(a) mL/dL

ELECTROLYTES
 Na^+ 142.0 mmol / L
 K^+ 4.8 mmol / L
 Ca^{++} 1.4 mmol / L
 Cl^- 108.0 mmol / L

METABOLITES
Glu 3.8 mmol / L
Lac 2.6 mmol / L

$p\text{Atm}$ 754 mmHg